

BOTULINUM TOXIN (BOTOX®)

Pre-Treatment Instructions

In an ideal situation it is prudent to follow some simple guidelines before treatment that can make all the difference between a fair result or great result, by reducing some possible side effects associated with the injections. We realize this is not always possible; however, minimizing these risks is always desirable.

- Patient must be in good health with no active skin infections in the areas to be treated
- Patient should not be needle phobic
- Avoid alcoholic beverages at least 24 hours prior to treatment Alcohol may thin the blood, which will increase the risk of bruising.
- Avoid anti-inflammatory / blood thinning medications ideally, for a period of two (2) weeks before treatment. Medications and supplements such as Aspirin, Vitamin E, Gingo Biloba, St. John's Wort, Ibuprofen, Motrin, Advil, Aleve, Vioxx, and other NSAIDS are all blood thinning and can increase the risk of bruising/swelling after injections.
- Schedule Botox® appointment at least 2 weeks prior to a special event which may be occurring, i.e., wedding, vacation, etc. etc. It is not desirable to have a very special event occurring and be bruised from an injection, which could have been avoided.

BOTULINUM TOXIN (BOTOX®)

Post-Treatment Instructions

The guidelines to follow post treatment have been followed for years, and are still employed today to prevent the possible side effect of ptosis (drooping of the eyelids). These measures should minimize the possibility of ptosis.

- No straining, heavy lifting, vigorous exercise for 3-4 hours following treatment. It is now known that it takes the toxin approximately 2 hours to bind itself to the nerve to start its work, and because we do not want to increase circulation to that area to wash away the Botox® from where it was injected.
- Avoid manipulation of area for 3-4 hours following treatment. (For the same reasons listed above.) This includes not doing a facial, peel, or micro-dermabrasion after treatment with Botox®. A facial, peel, or micro-dermabrasion can be done in same appointment only if they are done before the Botox®.
- Facial exercises in the injected areas is recommended for 1-hour following treatment. This is to stimulate the binding of the toxin only to the localized area.
- It can take 2 -10 days to take full effect. It is recommended that the patient contact the office no later than 2 weeks after treatment if desired effect was not achieved and no sooner to give the toxin time to work.
- Makeup may be applied before leaving the office.

PATIENT _____

DATE OF BIRTH _____

ADDRESS _____

PHONE _____

The purpose of this informed consent form is to provide written information regarding the risks, benefits and alternatives of the procedure named above. This material serves as a supplement to the discussion you have with your doctor/healthcare provider. It is important that you fully understand this information, so please read this document thoroughly. If you have any questions regarding the procedure, ask your doctor/healthcare professional prior to signing the consent form.

THE TREATMENT

Botulinum toxin (Botox® and similar agents) is a neurotoxin produced by the bacterium Clostridium A. Botulinum toxin can relax the muscles on areas of the face and neck which cause wrinkles associated with facial expressions or facial pain. Treatment with botulinum toxin can cause your facial expression lines or wrinkles to be less noticeable or essentially disappear. Areas most frequently treated are: a) glabellar area of frown lines, located between the eyes; b) crow's feet (lateral areas of the eyes); c) forehead wrinkles; d) radial lip lines (smokers lines), e) head and neck muscles. Botox is diluted to a very controlled solution and when injected into the muscles with a very thin needle, it is almost painless. Patients may feel a slight burning sensation while the solution is being injected. The procedure takes about 15-20 minutes and the results can last up to 3 months. With repeated treatments, the results may tend to last longer.

Initial _____

RISKS AND COMPLICATIONS

Before undergoing this procedure, understanding the risks is essential. No procedure is completely risk-free. The following risks may occur, but there may be unforeseen risks and risks that are not included on this list. Some of these risks, if they occur, may necessitate hospitalization, and/or extended outpatient therapy to permit adequate treatment. It has been explained to me that there are certain inherent and potential risks and side effects in any invasive procedure and in this specific instance such risks include but are not limited to: 1. Post treatment discomfort, swelling, redness, and bruising, 2. Double vision, 3. A weakened tear duct, 4. Post treatment bacterial, and/or fungal infection requiring further treatment, 5. Allergic reaction, 6. Minor temporary droop of eyelid(s) in approximately 2% of injections, this usually lasts 2-3 weeks, 7. Occasional numbness of the forehead lasting up to 2-3 weeks, 8. Transient headache and 9. Flu-like symptoms may occur.

Initial _____

PREGNANCY, ALLERGIES & NEUROLOGIC DISEASE

I am not aware that I am pregnant and I am not trying to get pregnant, I am not lactating (nursing). I do not have any significant neurologic disease including but not limited to myasthenis gravis, multiple sclerosis, lambert-eaton syndrome, amyotrophic lateral sclerosis (ALS), and parkinson's. I do not have any allergies to the toxin ingredients, or to human albumin. Initial _____

ALTERNATIVE PROCEDURES

Alternatives to the procedures and options that I have volunteered for have been fully explained to me.

Initial _____

PAYMENT

I understand that this is an "elective" procedure and that payment is my responsibility and is expected at the time of treatment. Initial _____

I understand that I have the right to discontinue treatment at any time. Initial _____

PUBLICITY MATERIALS

I authorize the taking of clinical photographs and videos and their use for scientific and marketing purposes both in publications and presentations. **Initial** _____

RESULTS

I am aware that when small amounts of purified botulinum toxin are injected into a muscle it causes weakness or paralysis of that muscle. This appears in 2 – 10 days and usually lasts up to 3 months but can be shorter or longer. In a very small number of individuals, the injection does not work as satisfactorily or for as long as usual and there are some individuals who do not respond at all. I understand that I will not be able to use the muscles injected as before while the injection is effective but that this will reverse after a period of months at which time re- treatment is appropriate. I understand that I must stay in the erect posture and that I must not manipulate the area (s) of the injections for the 2 hours post-injection period. **Initial** _____

I understand this is an elective procedure and I hereby voluntarily consent to treatment with botulinum toxin injections for facial dynamic wrinkles, TMJ dysfunction, bruxism and types of orofacial pain including headaches and migraines. The procedure has been fully explained to me. I also understand that any treatment performed is between me and the doctor/healthcare provider who is treating me and I will direct all post-operative questions or concerns to the treating clinician. I have read the above and understand it. My questions have been answered satisfactorily. I accept the risks and complications of the procedure and I understand that no guarantees are implied as to the outcome of the procedure. I also certify that if I have any changes in my medical history I will notify the doctor/healthcare professional who treated me immediately. I also state that I read and write in English.

Patient Name (Print)	Patient Signature	Date
----------------------	-------------------	------

Health History Completed? Yes No Date: _____ Provider Initial: _____

I am the treating doctor/healthcare professional. I discussed the above risks, benefits, and alternatives with the patient. The patient had an opportunity to have all questions answered and was offered a copy of this informed consent. The patient has been told to contact my office should they have any questions or concerns after this treatment procedure.

Provider Name (Print)	Doctor Signature	Date
-----------------------	------------------	------